VOL. 510 JOURNAL OF CHROMATOGRAPHY JUNE 27, 1990

CONTENTS

8TH INTERNATIONAL SYMPOSIUM ON AFFINITY CHROMATOGRAPHY AND BIOLOGICAL RECOGNITION, JERUSALEM, OCTOBER 29–NOVEMBER 3, 1989

Preface
by M. Wilchek (Rehovot, Israel) 1

Application of avidin–biotin technology to affinity-based separations (Review)
by E. A. Bayer and M. Wilchek (Rehovot, Israel) 3

Hydrazido-derivatized supports in affinity chromatography (Review)
by D. J. O'Shannessy (King of Prussia, PA, U.S.A.) 13

Studies on the interaction of a surface-bound ligand with a multi-valent high-molecular-weight ligate. The biotinylcellulose–avidin system
by L. Goldstein, A. Niv and S. A. Yankofsky (Ramat Aviv, Israel) 23

Behaviour of amino acids in gel permeation chromatography. Correlation with the effect of Hofmeister solutes on the conformational stability of macromolecules
by M. G. Cacace (Siena, Italy) and M. Santin and A. Sada (Naples, Italy) 41

Salt-promoted adsorption chromatography (Extended abstract)
by J. Porath (Uppsala, Sweden) 47

Affinity-repulsion chromatography
by V. I. Teichberg (Rehovot, Israel) 49

Application of receptor-affinity chromatography to bioaffinity purification
by D. V. Weber and P. Bailon (Nutley, NJ, U.S.A.) 59

Double-coated silica supports for high-performance affinity chromatography of proteins
by F. L. Zhou, D. Muller and J. Jozefonvicz (Villetaneuse, France) 71

Affinity purification of tissue plasminogen activator using transition-state analogues
by A. Patel, M. O'Hara, J. E. Callaway, D. Greene, J. Martin and A. H. Nishikawa (King of Prussia, PA, U.S.A.) 83

High-performance affinity chromatography of concanavalin A
by Y. Abe and S.-I. Ishii (Sapporo, Japan) 95

Tresyl-activated support for high-performance affinity chromatography
by K. Nakamura, T. Hashimoto and Y. Kato (Yamaguchi, Japan) and K. Shimura and K.-I. Kasai (Kanagawa, Japan) 101

Novel media for chromatography and immobilization using a radiation grafting technique
by D. Müller-Schulte (Aachen, F.R.G.) 115

Specific adsorption of serine proteases on coated silica beads substituted with amidine derivatives
by S. Khamlichi and D. Muller (Villetaneuse, France), R. Fuks (Brussels, Belgium) and J. Jozefonvicz (Villetaneuse, France) 123

New ion exchangers for the chromatography of biopolymers
by W. Müller (Darmstadt, F.R.G.) 133

High-performance affinity chromatography of basic fribroblast growth factor on polystyrene sulphonate resins modified with serine
by M. A. Jacquot-Dourges and D. Muller (Villetaneuse, France), D. Barritault (Creteil, France) and J. Jozefonvicz (Villetaneuse, France) 141

Rapid protein purification using phenylbutylamine–Eupergit: a novel method for large-scale procedures
by V. Kasche (Hamburg, F.R.G.), F. Löffler (Darmstadt, F.R.G.), T. Scholzen (Hamburg, F.R.G.) and D. M. Krämer and Th. Boller (Darmstadt, F.R.G.) 149

Screening method for large numbers of dye-adsorbents for enzyme purification
by D. H. A. Hondmann and J. Visser (Wageningen, The Netherlands) 155

Immobilization of reactive dyes on several matrices that allow high and very high flow-rates to be used. Application to the purification of a proteinase inhibitor from corn
by E. Algiman, Y. Kroviarski, S. Cochet and Y. L. Kong Sing (Clichy, France), D. Muller (Villetaneuse, France) and D. Dhermy and O. Bertrand (Clichy, France) 165

Affinity chromatography on novel perfluorocarbon supports. Immobilisation of C.I. Reactive Blue 2 on a polyvinyl alcohol-coated perfluoropolymer support and its application in affinity chromatography
by D. J. Stewart, D. R. Purvis and C. R. Lowe (Cambridge, U.K.) 177

New aspects of dye-ligand affinity chromatography of lactate dehydrogenase applying spacer-mediated beaded cellulose
by R. Reuter, M. Naumann and G. Kopperschläger (Leipzig, G.D.R.) 189

Competitive elution of lactate dehydrogenase from Cibacron Blue–bead cellulose with Cibacron Blue–dextrans
by D. Mislovičová, P. Gemeiner, E. Stratilová and M. Horváthová (Bratislava, Czechoslovakia) 197

Centrifugal affinity chromatography
by R. J. Slingerland (Wageningen, The Netherlands), V. Adámek (Prague, Czechoslovakia) and W. H. Scouten (Waco, TX, U.S.A.) 205

Composite affinity sorbents and their cleaning in place
by P. Girot, Y. Moroux, X. P. Duteil, C. Nguyen and E. Boschetti (Villeneuve la Garenne, France) 213

Sensitive blotting assay for the detection of glycopeptides in peptide maps
by M. Weitzhandler and M. Hardy (Sunnyvale, CA, U.S.A.) 225

Purification of gonadotropin releasing hormone receptors using the avidin–biotin technique
by E. Hazum (Rehovot, Israel) 233

One-step purification of trypsin and α-chymotrypsin by affinity chromatography on Eupergit–aprotinin, a novel carrier for purification of serine proteases
by S. Schmitt (Darmstadt, F.R.G.), J. D. Goetschel (Basle, Switzerland), E.-M. Römmelt (Darmstadt, F.R.G.) and C. Adler (Basle, Switzerland) 239

Purification of the upstream element factor of the Adenovirus-2 major late promoter from HeLa and yeast by sequence-specific DNA affinity chromatography
by V. Moncollin, M. Gerard and J.-M. Egly (Strasbourg, France) 243

Progress in affinophoresis (Review)
by K. Shimura (Kanagawa, Japan) 251

Effect of polyethylene glycol on the non-specific adsorption of proteins to Eupergit C and agarose
by G. Fleminger, B. Solomon, T. Wolf and E. Hadas (Ramat Aviv, Israel) 271

Chemistry and preparation of affinity ligands useful in immunoglobulin isolation and serum protein separation
by T. T. Ngo and N. Khatter (Tustin, CA, U.S.A.) 281

Site-directed immobilization of proteins
by P. L. Domen, J. R. Nevens, A. Khrishna Mallia, G. T. Hermanson and D. C. Klenk (Rockford, IL, U.S.A.) 293

Enhanced activity of immobilized dimethylmaleic anhydride-protected poly- and monoclonal antibodies
by E. Hadas, R. Koppel, F. Schwartz, O. Raviv and G. Fleminger (Ramat Aviv, Israel) . . 303

Eupergit C as a carrier for high-performance liquid chromatographic-based immunopurification of antigens and antibodies
by G. Fleminger, T. Wolf, E. Hadas and B. Solomon (Tel-Aviv, Israel) 311

Enzymic oxidation of monoclonal antibodies by soluble and immobilized bifunctional enzyme complexes
by B. Solomon, R. Koppel, F. Schwartz and G. Fleminger (Tel-Aviv, Israel) 321

Purification of soluble cytokine receptors from normal human urine by ligand-affinity and immunoaffinity chromatography
by D. Novick, H. Engelmann, D. Wallach, O. Leitner, M. Revel and M. Rubinstein (Rehovot, Israel) 331

Immobilization of α-human atrial nutriuretic peptide on insoluble supports and affinity purification of specific antibodies from a polyclonal goat anti-α-human atrial natriuretic peptide serum
by A. Missbichler, R. Ferris, E. Hartter, W. Woloszczuk and F. Pittner (Vienna, Austria) . 339

Biosensors (Review)
by C. R. Lowe, B. F. Y. Yon Hin, D. C. Cullen, S. E. Evans, L. D. G. Stephens and P. Maynard (Cambridge, U.K.) 347

Electrochemical biosensors on thin-film metals and conducting polymers
by T. Schalkhammer, E. Mann-Buxbaum, G. Urban and F. Pittner (Vienna, Austria) . . 355

Adsorption chromatography on cellulose. VI. Further studies on the separation of D- and L-tryptophan on cellulose with aqueous solvents (Note)
by M. Lederer (Lausanne, Switzerland) 367

Author Index 373

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)